




中国驰名商标  
Well-known Trademark of China



# 货仓车 HAND TROLLEY



**HT004**  
Weight(kg):16  
Load Capacity(kg):80  
Wheel:3.00-4  
L/W/H(mm):1080x560x370



**HT508**  
Weight(kg):10.4  
Load Capacity(kg):200  
Solid Tyre:10"x2.5"  
L/W/H(mm):1160x510x480



**HT0501**  
Weight(kg):0.9  
Load Capacity(kg):15  
Solid Tyre:3"  
L/W/H(mm):920x266x305



**HT1100**  
Weight(kg):8.85  
Load Capacity(kg):150  
Solid Tyre:6"x1.5"  
L/W/H(mm):1100x415x355



**HT1102**  
Weight(kg):6.3  
Load Capacity(kg):30  
Solid Tyre:6"x1.25"  
L/W/H(mm):1004x403x310



**HT1118**  
Weight(kg):6.7  
Load Capacity(kg):120  
Solid Tyre:6"x1.5"  
L/W/H(mm):1181x445x335



**HT1121**  
Weight(kg):20.9  
Load Capacity(kg):200  
Solid Tyre:6"x2"  
L/W/H(mm):1520x605x300



**HT1137**  
Weight(kg):9.2  
Load Capacity(kg):80  
Solid Tyre:8"x1.75"  
L/W/H(mm):1170x415x695



**HT1211**  
Weight(kg):14.5  
Load Capacity(kg):100  
Solid Tyre:8"x1.5"  
L/W/H(mm):1270x750x425



**HT1212**  
Weight(kg):8.8  
Load Capacity(kg):100  
Solid Tyre:8"x1.5"  
L/W/H(mm):1070x630x330

# 货仓车 HAND TROLLEY



中国驰名商标  
Well-known Trademark of China



■ HT1214 (HT1211R)

Weight(kg):15.6  
Load Capacity(kg):100  
Solid Tyre:8"x1.5"  
L/W/H(mm):1270x750x425



■ HT1310

Weight(kg):15  
Load Capacity(kg):100  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1300x535x600



■ HT1317 (HT1310A)

Weight(kg):20.4  
Load Capacity(kg):150  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1300x517x595



■ HT1311 (HT1310B)

Weight(kg):14.9  
Load Capacity(kg):120  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1300x517x595



■ HT1312

Weight(kg):16.2  
Load Capacity(kg):75  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1160x605x780



■ HT1313 (HT1312A)

Weight(kg):14.5  
Load Capacity(kg):75  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1160x605x795



■ HT1314 (HT1312B)

Weight(kg):15.2  
Load Capacity(kg):80  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1120x590x410



■ HT1413

Weight(kg):6.5  
Load Capacity(kg):100  
Pneumatic Tyre:2.50-4  
L/W/H(mm):990x535x375



■ HT1316 (HT1312D)

Weight(kg):15.8  
Load Capacity(kg):120  
Solid Tyre:6"x1.75"  
L/W/H(mm):1110x685x555



■ HT1422

Weight(kg):7.2  
Load Capacity(kg):100  
Pneumatic Tyre:2.50-4  
L/W/H(mm):1085x505x475



■ HT1429 (HT1428AL)

Weight(kg):7.15  
Load Capacity(kg):100  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1115x525x450







中国驰名商标  
Well-known Trademark of China



## 货仓车 HAND TROLLEY



**HT1428**  
Weight(kg):11.2  
Load Capacity(kg):100  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1130(773)495x562(300)



**HT1426**  
Weight(kg):12  
Load Capacity(kg):100  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1142(790)422x524



**HT1423**  
Weight(kg):7.2  
Load Capacity(kg):100  
Pneumatic Tyre:2.50-4  
L/W/H(mm):1090x540x475



**HT1505**  
Weight(kg):13  
Load Capacity(kg):120  
Solid Tyre:8"x1.75"  
L/W/H(mm):1445x455x430



**HT1546**  
Weight(kg):8  
Load Capacity(kg):120  
Solid Tyre:8"x1.75"  
L/W/H(mm):1118x418x366



**HT1544 (HT1546A)**  
Weight(kg):6.2  
Load Capacity(kg):120  
Solid Tyre:7.5"x1.25"  
L/W/H(mm):1120x415x355



**HT1511**  
Own Weight(kg):10.3  
Load Capacity(kg): 100  
Solid Tyre:8"x1.75"  
Body Size (LxWxH)(mm):  
1450x395X410



**HT1512**  
Weight(kg):9.2  
Load Capacity(kg):100  
Solid Tyre:8"x1.75"  
L/W/H(mm):1115x480x460



**HT1545**  
Weight(kg):9.6  
Load Capacity(kg):150  
Solid Tyre:8"x2"  
L/W/H(mm):1180x470x435



**HT1525**  
Weight(kg):9  
Load Capacity(kg):150  
Solid Tyre:8"x1.75"  
L/W/H(mm):1368x422x390

# 货仓车 HAND TROLLEY



中国驰名商标  
Well-known Trademark of China



**HT1561**

Weight(kg):6.4  
Load Capacity(kg):80  
Solid Tyre:8"x1.75"  
L/W/H(mm):1000x456x362



**HT1566**

Weight(kg):8.7  
Load Capacity(kg):100  
Solid Tyre:8"x1.75"  
L/W/H(mm):1120x470x410



**HT1567 (HT1566A)**

Weight(kg):7.5  
Load Capacity(kg):100  
Solid Tyre:8"x1.75"  
L/W/H(mm):1120x460x380



**HT1560**

Weight(kg):7  
Load Capacity(kg):80  
Solid Tyre:8"x1.75"  
L/W/H(mm):1000x460x355



**HT1562 (HT1561A)**

Weight(kg):4.4  
Load Capacity(kg):60  
Solid Tyre:6"x1.5"  
L/W/H(mm):1000x450x320



**HT1563**

Weight(kg):8.5  
Load Capacity(kg):100  
Solid Tyre:8"x2"  
L/W/H(mm):1003x425x369



**HT1564 (HT1561-1)**

Weight(kg):5.1  
Load Capacity(kg):120  
Solid Tyre:7"x1.75"  
L/W/H(mm):1080x445x340



**HT1565**

Weight(kg):8.55  
Load Capacity(kg):100  
Solid Tyre:8"x1.75"  
L/W/H(mm):1112x455x385



**HT1583**

Weight(kg):11  
Load Capacity(kg):100  
Solid Tyre:8"x2"  
L/W/H(mm):1120x530x405



**HT1568**

Weight(kg):7.1  
Load Capacity(kg):100  
Solid Tyre:8"x1.75"  
L/W/H(mm):1000x455x365



**HT1584**

Weight(kg):11.5  
Load Capacity(kg):120  
Solid Tyre:8"x2"  
L/W/H(mm):1110x550x430



**HT1585**

Weight(kg):10.5  
Load Capacity(kg):160  
Solid Tyre:8"x2"  
L/W/H(mm):1155x565x640



HT1586

Weight(kg):11.5  
Load Capacity(kg):200  
Solid Tyre:8"x2"  
L/W/H(mm):1295x470x505



HT1588

Weight(kg):17.5  
Load Capacity(kg):200  
Solid Tyre:8"x2"  
L/W/H(mm):1295x500x420



HT1596

Weight(kg):10  
Load Capacity(kg):120  
Solid Tyre:8"x2"  
L/W/H(mm):1120x470x375



HT1601

Own Weight(kg):20.2  
Load Capacity(kg):120  
Solid Tyre:10"x2"  
Body Size (LxWxH)(mm):  
1530x615x350



HT1602

Own Weight(kg):20.4  
Load Capacity(kg):200  
Solid Tyre:13"x2.3"  
Body Size (LxWxH)(mm):  
960x760x625



HT1603

Own Weight(kg):26.2  
Load Capacity(kg):150  
Solid Tyre:13"x2.3"  
Body Size (LxWxH)(mm):  
1170x760x400



HT1604

Own Weight(kg):25  
Load Capacity(kg):150  
Solid Tyre:10"x2"  
Body Size (LxWxH)(mm):  
1190x780x200



HT1805

Weight(kg):9.7  
Load Capacity(kg):180  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x550x460



HT1808 (HT1807A)

Weight(kg):8  
Load Capacity(kg):150  
Solid Tyre:8"x1.75"  
L/W/H(mm):1170x480x415



HT1806 (HT1807B)

Weight(kg):15  
Load Capacity(kg):300  
Solid Tyre:8"x2"  
L/W/H(mm):1170x485x420



HT1812

Weight(kg):10.6  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1255x530x444



HT1809

Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x550x460





**HT1815**

Weight(kg):10.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x550x460



**HT1816**

Weight(kg):10.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x550x460



**HT1817**

Weight(kg):10.7  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x550x460



**HT1810**

Weight(kg):10.2  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1255x530x444



**HT1818**

Weight(kg):12  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1270x525x475



**HT1819**

Weight(kg):13.1  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1270x523x475



**HT1820**

Weight(kg):12.2  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1280x525x480



**HT1821**

Weight(kg):15.4  
Load Capacity(kg):230  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1320x630x580



**HT1823**

Weight(kg):15  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1275x614x560



**HT1827**

Weight(kg):13.6  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1249x650x578



**HT1826 (HT1827AN)**

Weight(kg):11  
Load Capacity(kg):180  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1115x520x470(840)





**HT1822 (HT1827A)**  
Weight(kg):14.5  
Load Capacity(kg):180  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1100x580x815



**HT1828**  
Weight(kg):13.2  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1315x550x495



**HT1830**  
Weight(kg):9.1  
Load Capacity(kg):160  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1130x555x425



**HT1829 (HT1830A)**  
Weight(kg):12.7  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1120x535x435



**HT1831**  
Weight(kg):10.5  
Load Capacity(kg):150  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1250x546x433



**HT1832**  
Weight(kg):10.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1170x465x490



**HT1833**  
Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1295x560x480



**HT1834**  
Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1295x560x480



**HT1835**  
Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1164x560x480



**HT1840 (HT1836A)**  
Weight(kg):11  
Load Capacity(kg):250  
Pneumatic Tyre:3.50-4  
L/W/H(mm):1218x420x409



**HT1836**  
Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1218x560x480



**HT1837**  
Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1238x560x480



# 货仓车 HAND TROLLEY



中国驰名商标  
Well-known Trademark of China



**HT1838**

Weight(kg):12.8  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1164x560x480



**HT1839**

Weight(kg):10.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1263x615x550



**HT1841**

Weight(kg):13.5  
Load Capacity(kg):180  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1620x510x450



**HT1842**

Weight(kg):14.2  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1450x550x460



**HT1849**

Weight(kg):10.1  
Load Capacity(kg):180  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1120x522x460



**HT1850**

Weight(kg):12.4  
Load Capacity(kg):150  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1130x565x495



**HT1851**

Weight(kg):14.1  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1260x570x460



**HT1857**

Weight(kg):10.5  
Load Capacity(kg):150  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1170x550x488



**HT1858 (HT1857A)**

Weight(kg):10  
Load Capacity(kg):120  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1170x550x485



**HT1865**

Weight(kg):10  
Load Capacity(kg):150  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1260x500x440



**HT1866**

Weight(kg):13.2  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1196x605x475



**HT1877**

Weight(kg):10.5  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1320x550x445





■ HT1878

Weight(kg):7.1  
Load Capacity(kg):110  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1180x525x500



■ HT1881

Weight(kg):11  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x545x480



■ HT1873 (HT1881A)

Weight(kg):12.5  
Load Capacity(kg):250  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1310x545x480



■ HT1885

Weight(kg):6.6  
Load Capacity(kg):100  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1190x545x520



■ HT1887

Weight(kg):6.2  
Load Capacity(kg):12.50-4  
Pneumatic Tyre:8"x2.5"  
L/W/H(mm):1000x450x440



■ HT1875 (HT1883G)

Weight(kg):10.5  
Load Capacity(kg):150  
Pneumatic Tyre:3.50-4  
L/W/H(mm):1148x500x750



■ HT1888

Weight(kg):10.25  
Load Capacity(kg):150  
Pneumatic Tyre:4.10/3.50-4  
L/W/H(mm):1310x470x690



■ HT1889

Weight(kg):13.15  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1235x590x565



■ HT1890

Weight(kg):13.4  
Load Capacity(kg):200  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1235x590x565



■ HT1890-1

Weight(kg):17  
Load Capacity(kg):120  
Pneumatic Tyre:4.00-6  
L/W/H(mm):1240x610x680



■ HT1891

Weight(kg):11.5  
Load Capacity(kg):200  
Pneumatic Tyre:3.50-4  
L/W/H(mm):1280x560x825



■ HT1892

Weight(kg):13  
Load Capacity(kg):200  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1200x595x435

# 货仓车 HAND TROLLEY



中国驰名商标  
Well-known Trademark of China



**HT1895 (HT1892A)**  
Weight(kg):11.2  
Load Capacity(kg):200  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1280x550x495



**HT1893**  
Weight(kg):11.6  
Load Capacity(kg):200  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1200x595x670



**HT1897 (HT1892M)**  
Weight(kg):10.9  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1120x570x488



**HT1894**  
Weight(kg):11.6  
Load Capacity(kg):200  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1200x595x670



**HT1896**  
Weight(kg):13.5  
Load Capacity(kg):200  
Pneumatic Tyre:3.50-4  
L/W/H(mm):1280x550x495



**HT1899**  
Weight(kg):11.1  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1180x530x525



**HT1900**  
Weight(kg):15  
Load Capacity(kg):150  
Solid Tyre:10"x2.75"  
L/W/H(mm):1180x545x475



**HT1920**  
Weight(kg):14.5  
Load Capacity(kg):200  
Pneumatic Tyre:3.00-4  
Solid Tyre:10"x2.5"  
L/W/H(mm):1200x515x450



**HT1921**  
Weight(kg):18.2  
Load Capacity(kg):200  
Solid Tyre:10"x2.5"  
L/W/H(mm):1688x505x418



**HT1922**  
Weight(kg):18.2  
Load Capacity(kg):200  
Solid Tyre:10"x2.5"  
L/W/H(mm):1688x505x418



**HT1936**  
Weight(kg):15.5  
Load Capacity(kg):200  
Solid Tyre:10"x2.5"  
L/W/H(mm):1250x500x455



**HT1940**  
Weight(kg):16  
Load Capacity(kg):150  
Solid Tyre:10"x2.5"  
L/W/H(mm):1114x517x448





中国驰名商标  
Well-known Trademark of China



## 货仓车 HAND TROLLEY



### HT2000

Weight(kg):10.5  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1315x530x480



### HT2006 (HT2003A)

Weight(kg):5.45  
Load Capacity(kg):80  
Solid Tyre:8"x1.75"  
L/W/H(mm):990x450x370



### HT2400

Weight(kg):14.7  
Load Capacity(kg): 270  
Pneumatic Tyre:13"x4"  
L/W/H(mm):1308x630x550



### HT2401

Weight(kg):15.6  
Load Capacity(kg): 270  
Pneumatic Tyre:13"x4"  
L/W/H(mm):1308x565x590



### HT2402

Weight(kg):14.5  
Load Capacity(kg): 300  
Pneumatic Tyre:13"x4"  
L/W/H(mm):1308x565x590



### HT2500

Weight(kg):9.4  
Load Capacity(kg): 120  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1170x476x510




### HT2501 (HT2500A-1)

Weight(kg):10  
Load Capacity(kg): 150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1110x510x460



### HT2503 (HT2500AB)

Weight(kg):8.7  
Load Capacity(kg): 80  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1175x520x535



### HT2504 (HT2500AC)

Weight(kg):10.1  
Load Capacity(kg): 120  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1185x504x535



### HT2507 (HT2500AL)

Weight(kg):7.3  
Load Capacity(kg): 120  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1170x466x511



### HT2515 (HT2500B)

Weight(kg):8.2  
Load Capacity(kg): 80  
Pneumatic Tyre:10"x3.5"  
L/W/H(mm):1215x480x492

# 货仓车 HAND TROLLEY



中国驰名商标  
Well-known Trademark of China



**HT2517 (HT2500C)**

Weight(kg):6.5  
Load Capacity(kg):80  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1160x495x480



**HT2509 (HT2504AL)**

Weight(kg):7.7  
Load Capacity(kg):100  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1180x530x485



**HT2505**

Weight(kg):19.5  
Load Capacity(kg):200  
Solid Tyre:13"x3"  
L/W/H(mm):1150x555x615



**HT2510 (HT2505AL)**

Weight(kg):7.6  
Load Capacity(kg):100  
Pneumatic Tyre:3.50-4  
L/W/H(mm):1195x509x742



**HT2506**

Weight(kg):5.9  
Load Capacity(kg):120  
Solid Tyre:3.00-4  
L/W/H(mm):1205x540x480



**HT2508**

Weight(kg):6.3  
Load Capacity(kg):120  
Solid Tyre:3.00-4  
L/W/H(mm):1220x535x468



**HT3000**

Weight(kg):9.8  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1105x545x470



**HT3800**

Weight(kg):12  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1105x630x415



**HT2516 (HT2500B-1)**

Weight(kg):10  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1115x535x550



**HT8001**

Weight(kg):17  
Load Capacity(kg):120  
Solid Tyre:6.5"x1.75"  
L/W/H(mm):1270x515x640(1020)






中国驰名商标  
Well-known Trademark of China



## 货仓车 HAND TROLLEY



### HT8002 (HT800)

Weight(kg):7.6  
Load Capacity(kg): 110  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1180x523x490



### HT2511 (HT2500C-1)

Weight(kg):10.2  
Load Capacity(kg):150  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1090x510x540



### HT2502

Weight(kg):10.5  
Load Capacity(kg):180  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1170x495x510



### HT2512 (HT2502C)

Weight(kg):7.1  
Load Capacity(kg):80  
Pneumatic Tyre:3.00-4  
L/W/H(mm):1180x530x488